



PDA SLIDING DOOR AND FOLDING DOOR SYSTEM





PDA 7025 CONCEALED TOP TRACK ELECTRIC LIFT-AND-SLIDE DOOR SYSTEM

PDA Concealed Top Track Electric Lift-and-Slide Door Product Description:

The frame is made from steel thermal break energy-efficient profiles, offering high strength and thermal insulation. The ultra-narrow frame design maximizes the light opening, allowing for abundant natural light. Both the top track and side frames feature a concealed design, further enhancing the visible light area. The lift-and-slide function, combined with an electric control hardware system, ensures effortless operation. The trackless design improves ground accessibility.



MAX
400KG



PDA 7025 CONCEALED TOP TRACK ELECTRIC
LIFT-AND-SLIDE DOOR




115MM




The lifting lever module is concealed within the top track

The lifting linkage is concealed on the side

Automation into the frame



CONNECTORE
CONNECTION





PDA STEEL MANUAL LIFT-AND-SLIDE DOOR SYSTEM

PDA Steel Lift-and-Slide Door Product Description:

The frame is constructed from steel thermal break energy-efficient profiles, providing high strength and thermal insulation. The ultra-narrow frame design maximizes the light opening, allowing for expansive natural light.

Glass Thickness Range: 25mm - 45mm

Maximum Single Panel Dimensions: $W \leq 2500\text{mm}$, $H \leq 3000\text{mm}$

Stainless Steel Frame Option Available.

Overall Single Panel Weight Capacity: 300kg.

Utilizes specialized lift-and-slide hardware for superior sealing performance.

MAX
300KG

PDA 7025 STEEL MANUAL LIFT-AND-SLIDE DOOR SYSTEM





Ultra-Narrow Frame Design

Visible width: 45mm

Maximum Size




Specifications

$W \leq 2500\text{mm}$, $H \leq 3000\text{mm}$.




SLIM65 STEEL FOLDING DOOR SYSTEM

Node details





7025 STEEL MULTI-TRACK SLIDING DOOR SYSTEM
Node details



Bi-Directional Multi-Track Door

Uni-Directional Multi-Track Door





PDA website: www.international-pda.com

contact: International Business Manager: **Yini Tao**

E-mail: taoyini@eng-pda.com

Marketing Manager: **Nancy Zhao**

E-mail: zhn@eng-pda.com